



**INDIA
DESIGN
MARK**

THE INDIA DESIGN MARK 2016 IS GRANTED TO

Sohum Autogas Systems Pvt Ltd

FOR

Gas Safety Device

DESIGNED BY

Sachin Barve

India Design Mark is a design standard, a symbol, which recognises good design. It symbolises excellence in form, function, quality, safety, sustainability, and innovation and communicates that the product is usable, durable, aesthetically appealing and socially responsible.

MARCH 4th 2016



AN AUTONOMOUS BODY UNDER
MINISTRY OF COMMERCE AND INDUSTRY
GOVERNMENT OF INDIA

Pradyumna Vyas
Member Secretary
IndiaDesign Council



CERTIFICATE

TÜV
AUSTRIA

Management system as per EN ISO 9001:2015

In accordance with TÜV AUSTRIA CERT procedures, it is hereby certified that

SOHUM AUTOGAS SYSTEM PVT. LTD.

Shed No. 1 to 6, Mauli Industrial Estate, Survey No. 28/28, 28/29,
Tal. Haveli, Dhyari, Narhe, Pune - 411041, Maharashtra, India

applies a management system in line with the above standard for the
following scope

Design, Manufacture and Sales of Gas Safety Devices, Pressure Regulators, Gas Appliances and Gas Piping Systems

Certificate Registration No. 20100141399038

Valid until 2020-10-23

Initial certification 2014-10-24

Certification Body
at TÜV AUSTRIA CERT GMBH

Vienna, 2017-10-17

This certification was conducted in accordance with TÜV AUSTRIA CERT auditing and certification
procedures and is subject to regular surveillance audits.

TÜV AUSTRIA CERT GMBH Deutschstraße 10 A-1230 Wien www.tuv.at






CONFIDENTIAL

DEVELOPMENTAL TEST REPORT

No. SHL/16/2011-2012/1002/0989

Date: 01.06.2011

1.0	NAME AND ADDRESS OF THE CUSTOMER	M/s. Sohum Autogas Systems Pvt. Ltd. Pratik Apartment, Shop No. 1& 2, Shikshaknagar, Rajpath Society, Lane No. 8, Kothrud, Pune-411 038.
2.0	CUSTOMERS LETTER REF.	SOHUM/GSD/11-05; Dated:- 16.05.2011
3.0	DESCRIPTION OF TEST COMPONENT:	
	a. Name of The Components	Gas Safety Device
	b. Name of The Manufacturer	M/s. Sohum Autogas Systems Pvt. Ltd., Pune
	c. Part No.	Reg-01-01
	d. Identification On the Component	OM GAS
	e. Assembly Drawings No. with Rev. No.	Reg-01-01 ;Rev.00
4.0	TEST OBJECTIVE, REQUIREMENTS: Carry out the Pressure test and Excess flow valve test as per request given by the customer.	
4.1	Pressure Test Excess flow valve fitted in the component shall not show any leakage at 18 bar pneumatic pressure.	
4.2	Excess flow valve Check Component shall reduce / stop the gas flow, when sudden pressure of 4 bar is applied. Acceptance Criteria: - Component withstood at 18 Bar pneumatic test pressure for 1 min and After application of sudden pressure, excess flow valve operate and stop the flow the gas completely..	
5.0	TEST OBSERVATIONS: The components as mentioned in 3.0 above were subjected to pressure test and excess flow test as per the specifications given in 4.0 above. The Gas Safety Device meets the said requirements.	
PREPARED BY		
CHECKED BY		
APPROVED BY		
  		
S. N. LONDHE TECH. ASSISTANT		A. D. DEKATE SR. PROJECT ENGINEER
M. SRENIVASULU ASSISTANT DIRECTOR		Date of Issue: 01/06/11
Place of Issue: PUNE		
Disclaimer:		
<p>This test report pertains only to the components / parts / assemblies / vehicles etc. actually tested at ARAI in the presented condition based on the documents / information produced / submitted by the customer. The issuance of this test report alone does not indicate any measure of approval, certification, supervision, control of quality surveillance by ARAI of the product. No extract, abridgement or abstraction from this test report shall be published or used to advertise the product without the written consent of the Director, ARAI, who reserves the absolute right to agree or reject all or any of the details of any terms of publicity for which consent may be sought. ARAI is in no way responsible for any misuse of copying of any design / type / system in connection with entire vehicle / components / parts and assemblies. Breach of any statutory provision of Indian laws or laws of other countries, will be the sole responsibility of the customer and ARAI shall not be liable for any claims or damages, made by the party, whatsoever, the customer shall alone be liable for the same, and undertakes to indemnify ARAI in this regard. Further, the ARAI has the right to initiate cancellation / withdrawal of the certificate issued, in case of any fraud, misrepresentation, when it surfaces and comes in the knowledge of ARAI. The appropriate local courts at Pune shall have the jurisdiction in respect of any dispute, claim or liability arising out of this report.</p>		

L:\S&H & H data\Techreports\11-12\Main-OCs\16-One Time Customer\ADD\Developmental\1002-1112\SOHUM Auto gas System Pvt. Ltd.\doc





POLICY SCHEDULE FOR PRODUCT LIABILITY INSURANCE

Insured's Name	: SOHUM AUTOGAS SYSTEMS PVT.LTD.		
Insureds Details		Issuing Office Details	
Customer ID	: PO09156318	Office Code	: MITRA MANDAL BRANCH (153103)
Address	: 33/2 RUKMINI SADAN,DR.M.B.RAUT ROAD SHIVAJI PARK DADAR MUMBAI MUMBAI ,MAHARASHTRA, 400001	Address	: 484/1-31-32,MITRA MANDAL HOUSING SOCIETY, PARVATI ,411009
Phone No	: 8381898125	Phone No	: 24420433 / 24423306
E-mail/Fax	: sales@sohumaautogas.com, /	E-mail/Fax	: nia.153103@newindia.co.in / 24423306
PAN No	: BJXPK3605E	S.Tax Regn. No	: AAACN4165CST178
GSTIN/UIIN	: 27AAJCS7561C1Z7 / NA	GSTIN	: 27AAACN4165C3ZP
		SAC	: 997139 (Other non-life insurance services excl RI)

Policy Details			
Policy Number	: 15310336190800000001	Business Source Code	
Period of Insurance	: From: 04/07/2019 02:41:32 PM To: 03/07/2020 11:59:59 PM	Dev.Off. level/Broker/Corp. Agent	: SUBHASH H. TIKHE. 02024420433 - (DE7806082)
Date of Proposal	: 04-Jul-19	Agent/Bancassurance	: Mr. PRASHANT VAIKUNTH KOMAKUL (NIAAG00011711) PRASHANT VAIKUNTH KOMAKUL (SI00024283)
Prev. Policy no.	:	Phone No	: 8331020, 9850831668 / NA
Client Type	: Non-Corporate	E-mail/Fax	: komakul@gmail.com, / / /

Premium(₹)	GST(₹)	Total(₹)	Total:(₹ In words)	Receipt No. & Date
120000	21600	141600	RUPEES ONE LAC FORTY-ONE THOUSAND SIX HUNDRED ONLY	1531038119000000298 6 - 04/07/19

Details of Risks Covered Under Policy:

Retroactive Dates	Date	Jurisdiction	Territory	AOA	AOY/Total sum Insured	Turnover	Deductible India	Deductible Rest of the world	Deductible USA/Canada
Policy Retroactive Date	04/07/2019	India	NA	37500000	150000000	NA	₹0	₹0	₹0

Does the policy covers exports only	Vendors Liability	Type of Vendor	Voluntary Excess
No	NA	Unnamed	0

Product Description
Gas or Oil Appliances (Domestic)-Gr5

Extensions under the Policy

Name of the Extension	Sub limit of the Extension	Deductibles of the Extension
-----------------------	----------------------------	------------------------------

Special Conditions	" GAS SAFETY DEVICE,GAS STOVES, GAS APPLIANCES," AND ALSO MENTIONED THAT VENDORS LIABILITY IS ALSO COVERED. AS PER PRODUCT LIABILITY
Special Exclusions	NA
Special Excess/Deductible	0

This Policy shall be subject to PRODUCT LIABILITY INSURANCE policy clauses attached herewith

Clauses	Description
---------	-------------

Premium and GST Details

Premium	Rate of Tax	Amount in INR
₹ 120000.00		₹ 120000.00

Signature valid
Digitally signed by Sohuma Autogas Pvt. Ltd. on 20/11/2018 15:16:10 IST

Policy No. : 15310336190800000001 Document generated by 21692 at 04/07/2019 15:16:07 Hours.

Regd. & Head Office: New India Assurance Bldg., 87 M.G. Road, Fort, Mumbai - 400 001. TOLL FREE No. 1-800-209 1415.

Consolidated Stamp fees paid by E-Challan GRN No MH008464683201819M dtd. 20/11/2018vide Receipt No. GRN No. MH008464683201819M dtd. 20/11/2018 and the stamp duty under this policy is Rs. 1.00



Certificate of Compliance

Application of Council of Directive for Pressure Equipment Directive (PED)

This is to Certify that
the technical documentation of the company

SOHUM AUTOGAS SYSTEMS PVT. LTD.

SHED NO. 1 & 2, MAULI INDUSTRIAL ESTATE, S. NO. 28 /28,
28/29, TAL. HAVELI DHAYARI, NARHE, PUNE – 411041,
MHARASHTRA, INDIA.

for the products

GAS SAFETY DEVICE
(REG-01-01 & REG-01-02)

GAS STOVE
(HOB – 03 - 01)

has been assessed and found to conform to the requirements of Pressure Equipment Directive (PED) This certificate refers to the information examined and read with manufacture's declaration of conformity. further, the product liability reset with the manufacturer or his representative in accordance with council Directive 85/374/EEC.

Certificate No.	1016CEQ37	
Initial Registration Date	: 04/03/2016	Issuance Date : 04/03/2016
Date of Expiry*	: 03/03/2019	
1st Surve. Due	: 04/02/2017	2nd Surve. Due : 04/02/2018


Director



Absolute Quality Certification Pvt. Ltd.

Accredited By: Joint Accreditation System of Australia & New Zealand (JAS-ANZ)

401, Ashok Bhawan, 93, Nehru Place, New Delhi - 110 019. | +91. 11. 4105 1139 | e-mail : info@absolutequalitycertification.com,

*Validity of the Certificate is subject to successful completion of surveillance audit on or before of due date. (In case surveillance audit is not allowed to be conducted, this certificate shall be suspended/withdrawn).

Verify Certificate: Please Re-check the validity of certificate at <http://www.absolutequalitycertification.com/activeclients.aspx> or www.absolutequalitycertification.com at Active Clients.

Certificate is the property of Absolute Quality Certification Pvt. Ltd. and shall be returned immediately when demanded.



भारतीय मानक ब्यूरो

BUREAU OF INDIAN STANDARDS

पुना शाखा कार्यालय : प्लॉट नं. 657 से 660 (गेट नं. 9)
एमएआयडीसी बिल्डींग, गुलटेकडी,
मार्केटयार्ड, पुना 411 037.

Pune Branch Office : Plot No. 657 to 660 (Gate No. 9)
MAIDC Bldg., Gultekdi,
Marketyard, Pune 411 037.

दूरभाष } Scientist - 'F' & Head 24264911
Phone } Officers 24274803 to 807
Sales 24268594

फैक्स }
Fax } (020) 24268659

ग्राम : मानक संस्था Gram : Manaksanstha
ई-मेल E-mail : pnbo@bis.org.in

PAN NO. AAATBO431G

Our Ref: PN/4:2/ 1375

07/06
23 May 23, 2011

Sohum Autogas Systems Pvt Ltd
Pratik Apartment
Shop No. 1 & 2,
Shikshaknagar, Rajpath Society
Lane No. 8, Kothrud
Pune 411 038

Attn: Shri Mulidhar Dudalkar, Managing Director

Dear Sirs,

This has reference to your letter No. SOHUM/GSD/11-03, dtd 5 May 2011 in connection with the certification of Gas Safety device for Domestic LPG cylinders.

Since at present there is no Indian Standard available for Gas Safety device (GSD) for domestic LPG Cylinders, certification of the same is not possible.

Thanking you,

Yours faithfully,

(S C Naik)
Asst. Director

Bureau of Indian Standards has been approved for the purpose of sub-clause (iv) of clause 23 C of Section 10 of the Income Tax Act, 1961 vide Order N. 167 dated 30.04.2008 issued by Director General of Income Tax (Exemptions), Deptt. of Revenue, Ministry of Finance, Government of India. This order of Ministry of Finance is applicable to BIS for Assessment Year 2007-08 and onwards. Accordingly, the Income of BIS is not included in the total income and exempted from the payment of income tax.

क्षेत्रीय कार्यालय : 'मानकालय' ई-9, मरोल दूरध्वनी केंद्र के पीछे, अंधेरी (पूर्व), मुंबई - 400 093.

Regional Office : 'Manakalaya', E-9, MIDC, Behind Marol Telephone Exchange, Andheri (East), Mumbai 400 093.
E-mail : biswro@bom.nic.in

मुख्यालय : मानक भवन, 9 बहादुरशाह जफर मार्ग, नई दिल्ली 110 002.

Headquarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002.

Internet : <http://www.bis.org.in> E-mail : bis@vsnl.com